

SPRAY PROGRAMME: TOMATO SEEDLINGS



START WITH SHAKING SOME PLANTOSVERDE ON THE SEEDS BEFORE PLANTING IN THE PREPARED SEED TRAYS.

- WHEN FIRST SPROUT APPEARS = APPLY A FINE MIST OF A 2% SOLUTION = 2G/LITRE
- WHEN 2 LEAVES ARE VISIBLE = APPLY A FINE MIST OF A 2% SOLUTION = 2G/LITRE
- 3RD APPLICATION AFTER 7 DAYS = APPLY A FINE MIST OF A 3% SOLUTION = 3G/LITRE
- 4TH APPLICATION AFTER 7 DAYS = APPLY A FINE MIST OF A 3% SOLUTION = 3G/LITRE

WHEN SEEDLINGS ARE READY TO BE PLANTED INTO OPEN GROUND OR POTS, GROW BAGS ETC, SHAKE SOME PLANTOSVERDE INTO EACH PLUG HOLE AND THEN PLANT THE SEEDLING INTO THE PLUG HOLE.

- IMMEDIATELY APPLY THE 1ST SPRAY OF A 3% SOLUTION = 3G/LITRE
- 2ND SPRAY IS 4-5 DAYS LATER WITH 0,3 % SOLUTION = 3G/LITRE
- REPEAT EVERY 14 DAYS TILL 10 DAYS BEFORE FIRST CROP = 3G/LITRE
- THEN EVERY 3 WEEKS BUT NOT MATURING FRUITS, ONLY NEW GROWTH PARTS.

SAME APPLIES FOR ZUCCHINI, EGGPLANT, PAPRIKA, CUCUMBER ETC

